

Lexmark E450dn



LEXMARK

Lexmark E450dn

The Lexmark E450dn network-ready, affordable, space-saving, monochrome laser printer with duplex standard produces excellent documents. Its 400 MHz processor and 64MB of standard memory provide high-quality printing at up to 35 ppm.



Lexmark E450dn, E450dtn

In the Box

- **Lexmark E450dn**
 - Lexmark E450dn printer
 - 6,000-page Return Program Toner Cartridge¹
 - Photoconductor Kit² (up to 30,00 pages)
 - Dust Cover
 - Automatic Two-sided Printing
- Power Cord
- Combined Drivers, Utilities and Publications CD
- Setup Sheet, Safety Notices, Supplies Return Program Flyer
- **Lexmark E450dn**
 - Lexmark E450dn printer with 550 sheet drawer

Product Specifications

Part Number	E450dn: 33S0700, E450dtn: 33S0700
Product Class	Desktop/small workgroup laser printer
Speed	Up to 35 ppm
Time to First Page	As fast as 7 seconds (standby and power saver modes)
Print Resolution	1200 x 1200 dpi; 2400 image quality printing; 1200 image quality printing, 600 x 600 dpi
Processor	400 MHz
Memory (std./max.)	64MB/320MB
Connectivity	Standard: Parallel, USB, Ethernet Optional: Wireless, Gigabit Ethernet
Printer Languages	PostScript 3 and PCL 6 emulations; PPDS Migration Tool
Direct Print Format	PDF v1.5 printing
Fonts	PCL: 89 scalable, including OCR-A, OCR-B and code 3 of 9 bar codes; 2 bitmapped; PostScript: 89 scalable; PPDS: 39 scalable and 5 bitmapped
Operating Systems	Windows, Mac, Novell, UNIX, Linux
Acoustics	Printing: 52 dBA; Quiet mode: 48 dBA; Idle: Inaudible
Size (WxDxH)	15.6 in. x 14.1 in x 10.2 in. (396 mm x 359 mm x 259.5 mm)
Weight	25 lb. (11.4 kg)
Duty Cycle³	Maximum monthly duty cycle: Up to 80,000 pages per month
Recommended Monthly Page Volume⁴	1,500 - 6,900 pages per month

Media Specifications


Paper Capacity (sheets)	Input: 250 + 1; Output: 150 + 1 Input: 801 (250 + 550 + 1); Output: 150 + 1
Paper Sources	Input: 2; Output: 1 top, 1 rear Input: 3; Output: 1 top, 1 rear
Media Information	Types: Plain paper, card stock, transparencies, paper labels Size: Letter, legal, executive, folio, statement, A4, A5, A6, JIS B5, universal (3 x 5 in. to 8.5 x 14 in.), envelopes (7 ³ / ₄ , 9, 10, DL, C5, B5) Weight: Plain paper: 16 to 43 lb. (60 to 163 g/m ²); Card stock: up to 90 lb. (199 g/m ²)

Shipping Dimensions

Lexmark E450dn
Size: 18.5 x 16.9 x 14.9
Weight: 29.2 lb.

Part Numbers

Supplies	11,000-page High Yield Return Program Toner Cartridge ¹	E450H11A
	11,000-page High Yield Toner Cartridge ¹	E450H21A
	6,000-page Return Program Toner Cartridge ¹	E450A11A
	6,000-page Toner Cartridge ¹	E450A21A
	30,000-page Photoconductor Kit ²	E250X22G
Memory Options	32MB SDRAM	1021257
	64MB SDRAM	1021258
	128MB SDRAM	1021259
	256MB SDRAM	1021260
	32MB Flash Card	1021208
Warranty	1-year Advanced Exchange next business day	Base
	1-year Advanced Exchange next business day extended warranty	2349158
	2-year Advanced Exchange next business day extended warranty	2349159
	3-year Advanced Exchange next business day extended warranty	2349160
	Upgrade of Base Warranty to Onsite Repair	2349165
	1-year Onsite Repair extended warranty	2349166
	2-year Onsite Repair extended warranty	2349167
	3-year Onsite Repair extended warranty	2349168
	Upgrade of Base Warranty to Onsite Exchange next business day	2349174
	1-year Onsite Exchange next business day extended warranty	2349175
	2-year Onsite Exchange next business day extended warranty	2349176
	3-year Onsite exchange next business day extended warranty	2349177



- Single-sheet Slot (standard)
- 250-sheet Drawer (standard)
- Duplex (standard)
- 550-sheet Drawer (28S0803)

¹ Declared standard yield value in accordance with ISO/IEC 19752

² Yield based on approximately 5% coverage

³ Duty Cycle is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

⁴ Recommended Monthly Page Volume is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage

Additional Part Numbers

Solutions	Korean Font Card	1021240
	Simplified Chinese Font Card	1021241
	Traditional Chinese Font CArd	1021242
	Japanese Font Card	1021243
	Bar Code Card	33S0810
	Forms Card	33S0820
Connectivity	External Print Servers	
	Lexmark MarkNet™ N7000e Fast Ethernet - 1 port ¹	14T0230
	Lexmark MarkNet N7020e Gigabit Ethernet - 4 port ¹	14T0220
	Lexmark N7002e Fast Ethernet - 1 port ²	14T0240
	Lexmark N4000e Print Server ¹	14T0030
	Wireless Print Adapters	
	802.11g Print Adapter	1010042
Lexmark N4050e 802.11g Print Server ¹	14T0145	
Cables	10-foot Parallel Cable	1021231
	6-foot USB Cable	1021294

Terms & Conditions

Lexmark, MarkNet and Lexmark with diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. PCL is a registered trademark of Hewlett Packard Company. The USB logo is a trademark of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners. © 2006 Lexmark International, Inc. All rights reserved.

¹ Requires USB connection
² Requires Parallel connection