


Lexmark X502n



LEXMARK

Lexmark X502n

The network-ready Lexmark X502n Colour All-In-One provides printing, copying, scanning and faxing. OCR capability lets you scan documents directly into spreadsheets or word processing formats.



In the Box

Lexmark X502n

- 2,500-page Black Toner Cartridge¹
- 1,500-page Cyan, Magenta and Yellow Toner Cartridges¹
- Photodeveloper Cartridge
- Waste Toner Bottle
- Drivers & Publications CD
- Power Cord
- Tray Extension Sheet
- Expandable Tray Lid
- RJ-11 4-wire phone cable and filler plug

Product Specifications

Part Number	25C0248
Product Class	Colour Laser All-In-One
Print Speed	Black: Up to 31 ppm; Colour: Up to 8 ppm
Time to First Page	Black: As fast as 13 seconds; Colour: As fast as 19 seconds
Print Resolution	Print: 1200 x 600 dpi
Processor	366 MHz
Memory (std./max.)	128MB
Connectivity Standard Optional Network Mgmt Utility	Ethernet, USB Gigabit Ethernet, Wireless MarkVision Professional
Printer Languages	Host Based
Fonts	Via Host
Copy	Speed: Black: up to 21 ppm, Colour: up to 7 ppm; Time to First Page: Black: as fast as 25 seconds, Colour: as fast as 35 seconds; 1200 x 600 resolution; Collation; Reduce/enlarge (25% to 400%); Paper saver (2-up & 4-up); Darkness adjustment; Copy select 1-99
Scan	Colour/mono flatbed scanner with 35-sheet automatic document feeder; 1200 x 1200 resolution; Scan-to-email, shared PC folder, FTP, scan-to-network via Twain; TIFF (mono only), JPEG and PDF file formats
Fax	Speed: 33.6 Kbps; up to 3 seconds per page, broadcast up to 100, quick dials up to 20, speed dials up to 50, redial, darkness adjustment, resolution adjustment, auto-reduction, activity report
Operating Systems	Microsoft Windows, Mac OS X
Acoustics	Printing: 54 dBA; Idle: 34 dBA; Copying: 54 dBA
Size (WxDxH)	482 mm x 437 mm x 534 mm. (19 in. x 17.2 in x 21 in).
Weight	35 kg. (77 lb).
Duty Cycle²	Maximum monthly duty cycle: Up to 35,000 pages per month
Recommended Monthly Page Volume³	500 - 2,100 pages per month

Media Specifications

Paper Capacity (sheets) Standard Maximum	Input: 250; Output: 250 Input: 780 (250 + 530); Output: 250
Paper Sources Standard Maximum	Input: 1; Output: 1 Input: 2; Output: 1
Media Information Types Size Weight	Plain paper, card stock, glossy paper, envelopes, labels, transparencies Letter, A4, A5, JIS B5, legal, executive, folio, statement, universal (4.125 x 8.27in. to 8.5 x 14 in.), envelopes (10, 9, B5, C5, DL) Plain paper: 16 to 24 lb. (60 to 90 g/m ²); Card stock: 43-55 lb. (163 to 210 g/m ²)


Shipping Dimensions

Lexmark X502n
595 mm x 575 mm x 760 mm. 43kg. (23.4 in. x 22.6 in. x 29.9 in. 94.6 lb).



Part Numbers

Supplies	5,000-page Black High Yield Toner Cartridge ¹	C500H2KG
	3,000-page Cyan High Yield Toner Cartridge ¹	C500H2CG
	3,000-page Yellow High Yield Toner Cartridge ¹	C500H2YG
	3,000-page Magenta High Yield Toner Cartridge ¹	C500H2MG
	2,500-page Black Toner Cartridge ¹	C500S2KG
	1,500-page Cyan Toner Cartridge ¹	C500S2CG
	1,500-page Yellow Toner Cartridge ¹	C500S2YG
	1,500-page Magenta Toner Cartridge ¹	C500S2MG
	Photodeveloper Cartridge (up to 120,000 images)	C500X26G
	Waste Toner Bottle (up to 30,000 images)	C500X27G
	Fuser Unit (up to 60,000 images)	C500X28G
Warranty	1-year Onsite Repair	Base
	1-year Onsite Repair extended warranty	2349428
	2-year Onsite Repair extended warranty	2349429



—530-sheet Drawer (22R0194)

¹ Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

² Duty Cycle is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

³ Recommended Monthly Page Volume is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage

Additional Part Numbers

Connectivity	MarkNet™ N7020e GigaBit Ethernet Print Server ¹	14T0220
	N4050e 802.11g Wireless Print Server ¹	14T0145
Media	Glossy Paper (letter, 200 sheets)	12A5950
	Professional Colour Laser Transparencies (letter, 50 sheets)	12A8240

Terms & Conditions

Lexmark, MarkNet and Lexmark with diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. PCL is a registered trademark of Hewlett Packard Company. The USB logo is a trademark of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners. © 2007 Lexmark International, Inc. All rights reserved.